

**INXUBA YETHEMBA  
UMASIPALA WASEKHAYA / PLAASLIKE MUNISIPALITEIT /  
LOCAL MUNICIPALITY**

**P O Box 24  
CRADOCK  
5880  
TEL : +27(0)48 801 5000  
FAX : +27(0)48 881 1421**



**P O Box 55  
MIDDELBURG  
5900  
TEL : +27(0)49 842 1337  
FAX : +27(0)49 842 1310**

*"A coherent developmental municipality putting people first and providing a better life for all its citizens"*

## REQUEST FOR QUOTATION

|                      |                                                                                                       |
|----------------------|-------------------------------------------------------------------------------------------------------|
| <b>To:</b>           | <b>ALL PROSPECTIVE SERVICE PROVIDERS</b>                                                              |
| <b>Project Name:</b> | <b>SUPPLY, DELIVER AND INSTALL CLEAR-VU FENCING AND GATES FOR THE CRADOCK MUNICIPAL MAIN OFFICES.</b> |
| <b>Requestor:</b>    | <b>INXUBA YETHEMBA MUNICIPALITY</b>                                                                   |
| <b>QUOTATION NO.</b> | <b>IYM10/02/2025Q</b>                                                                                 |
| <b>NOTICE NO.</b>    | <b>31/2025</b>                                                                                        |
| <b>Advert Date:</b>  | <b>7 MARCH 2025</b>                                                                                   |
| <b>Closing Date:</b> | <b>14 MARCH 2025</b>                                                                                  |

### SPECIFICATION

#### **SPECIFICATION AND PRICING SCHEDULE: SCOPE OF WORKS**

The appointed service provider is expected to supply, deliver and install the Clear-Vu invisible wall fencing as per the specifications tabled below, behind the Nxuba Municipal Main Offices which its total length is 11.4 meters include one vehicle gate and one pedestrian gate as specified in the below table.

**Note:** The foundation or footing of the posts is to be 400mm x 400mm x 500mm deep from the natural ground level, cast with the a 40-45Mpa concrete strength. The contractor will have to provide a mix design for the respective required concrete strength.

| <b>No.</b> | <b>Description of Goods or Service</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | <b>Item</b> | <b>Quantity</b> | <b>Total Price</b> |
|------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|-----------------|--------------------|
| 1.         | REINFORCED MESH PANELS 3305mm WIDE x 2100mm HIGH GALVANIZED WIRE WITH APERTURE SIZE (CENTERS) @ 76.2mm x 12.7mm, WITH SQUARE TUBING AND FLAT BARS FOR REINFORCING. PANEL FORMATION: PANEL REINFORCED WITH 4 x 50mm DEEP 'V' FORMATION HORIZONTAL RECESSED BANDS (RIGIDITY), 2 x 75mm 70° FLANGES ALONG SIDES (INTERNAL FIXTURES - ANTI VANDAL, ALLOWING FOR FLUSH POST AND PANEL FINISH, 48 LINE WIRE SECURE CONNECTION, LOCKING RECESS MECHANISM ) AND 1 x 90° FLANGE ALONG TOP AND 1 x 30° FLANGE ALONG TOE. (ARROW - STRAIGHT EDGES, INTEGRATED ANGLE). COATING: MESH GALVANIZED, THEN MARINE FUSION BOND COATED. (PATENTS AND DESIGN REGISTRATIONS APPLY) | Panel       | 2               |                    |

|    |                                                                                                                                       |         |    |  |
|----|---------------------------------------------------------------------------------------------------------------------------------------|---------|----|--|
|    |                                                                                                                                       |         |    |  |
| 2. | TAPER LOCKING POST, THEN SEALED WITH UV STABILIZED POLYMER CAP.<br><br>COATING: GALVANIZED, THEN MARINE FUSION BOND COATED.           | Post    | 5  |  |
| 3. | CLAMPS 3 8 X SINGLE BOLT COMB CLAMPS.<br><br>8 X DOUBLE BOLT COMB CLAMPS.<br><br>COATING: GALVANIZED, THEN MARINE FUSION BOND COATED. | Clamps  | 20 |  |
| 4. | SHARK TOOTH SPIKE. COATING: GALVANIZED, THEN MARINE FUSION BOND COATED.                                                               | Topping | 8  |  |

#### PEDESTRIAN GATE - 1.2m Wide x 2.1m High Gate

| No | Item           | Description                                                                         | QTY |
|----|----------------|-------------------------------------------------------------------------------------|-----|
| 1  | Hinge Post     | Square tube                                                                         | 1   |
| 2  | Locking Post   | Square tube                                                                         | 1   |
| 3  | Gate Frame     | Rectangular tube                                                                    | 1   |
| 4  | Locking Device | T-Slide lock with lockbox<br>CSP-05-0001.74.00.02-18-A<br>CSP-05-0001.74.00.02-18-B | 1   |
| 5  | Hinge          | Medium Hinge<br>CSP-05-4861_M22.18.02-A-R02                                         | 2   |
| 6  | Base Pin       | Angle Iron<br>CSP-05-0001.74.00.06-18-A-002                                         | 2   |
| 7  | Cover Plate    | CSP-05-0001.74.00.01-18-B<br>CSP-05-0001.74.00.01-18-C                              | 4   |
| 8  | Handle         | Grab Handle                                                                         | 2   |
| 9  | Mesh           | Reinforced Mesh                                                                     | 1   |
| 10 | Topping        | Shark tooth spike                                                                   | 1   |

#### ELECTRIC SLIDING VEHICLE GATE – Single Leaf Sliding Gate – 4m Wide x 2.1m High

| No | Item           | Description                                                                                                            | QTY |
|----|----------------|------------------------------------------------------------------------------------------------------------------------|-----|
| 1  | Hinge Post     | Square Tube                                                                                                            | 2   |
| 2  | Drop Bolt      | Round Bar                                                                                                              | 2   |
| 3  | Gate Frame     | Rectangular Tube                                                                                                       | 2   |
| 4  | Locking Device | T-Slide lock with lockbox<br>CSP-05-0001.74.00.02-18-A<br>CSP-05-0001.74.00.02-18-B                                    | 1   |
| 5  | Wheels         | Roller wheels with backing plates                                                                                      | 4   |
| 6  | Track          | 9m gate rolling track                                                                                                  | 1   |
| 7  | Base Pin       | Angle Iron<br>CSP-05-0001.74.00.06-18-A-002                                                                            | 2   |
| 8  | Cover Plate    | CSP-05-0001.74.00.01-18-B<br>CSP-05-0001.74.00.01-18-C                                                                 | 12  |
| 9  | Handle         | Grab Handle                                                                                                            | 4   |
| 10 | Mesh           | Reinforced Mesh                                                                                                        | 4   |
| 11 | Topping        | Shark tooth spike                                                                                                      | 7   |
| 12 | Gate motor kit | battery, D5 Smart Gate Motor, for batt battery, g-ultra, gate contact, gate motor remote, lead acid battery, 3 remotes | 1   |

### Evaluation criteria

The quotes will be evaluated using the 80/20 preferential point system.

- 20 points will be allocated as follows:

#### Locality: 50%

| Locality                                             | Number of Points 80/20 |
|------------------------------------------------------|------------------------|
| Enterprise within Inxuba Yethemba Local Municipality | 10                     |
| Enterprise within Chris Hani District Municipality   | 8                      |
| Enterprise within Eastern Cape                       | 5                      |
| Enterprise within South Africa                       | 2                      |
| Enterprise from outside of South Africa              | 0                      |

- Municipal Account must be submitted for points to be allocated.

#### BBBEE: 50%

- 10 points will be allocated to 100% Black owned firms
- BBBEE certificate/ sworn affidavits must be submitted for points to be allocated.

#### Payment for Services

Payment will be issued with 30 days after goods have delivered.

All relevant information must accompany all quotations submitted. No late or incomplete quotation will be accepted for consideration.

The municipality reserves the right not to accept the lowest or any quotation and no reason for the acceptance or rejection of a quotation will be furnished.

#### General

- The Inxuba Yethemba Municipality Supply Chain Management policy shall apply
- All prices will be evaluated inclusive of VAT, except where a non-VAT vendor has submitted a responsive bid. In this case, all bids prices will be evaluated exclusive of VAT.
- Certified copies of identity documents of directors.
- Quotations must be signed or annexed with a company stamp.
- Bidders to supply municipal utility bill or lease agreement reflecting status of accounts.
- Bidders to include the following municipal declarations with the quotations: MBD 4 and MBD 9.
- Quotations to be valid for 60 days from the closing date.
- IYM reserves the right to award the quotation in full or part thereof.
- CSD report must be submitted
- SARS Pin or Tax compliance certificate

- NB: : Submissions of SBD Forms will not be considered and bidders will be disqualified.

**Note: Failure to attach the B-BBEE Status Level Certificate will result in the bidder losing the preference point**

Formal written price quotations should be submitted in a sealed envelope, clearly marked "QUOTATION NO: IYM10/02/2025Q (SUPPLY, DELIVER AND INSTALL CLEAR-VU FENCING AND GATES FOR THE CRADOCK MUNICIPAL MAIN OFFICES)

which must be placed in the bid box, located at the Registry Office in the IYM offices No. 1 JA Calata Street, Cradock before 12 pm on the closing date of 14 MARCH 2025. No email submissions will be allowed.

For inquiries regarding the Request for Quotation, please contact the Project Manager, Mr. V Mbem at 0488015082 or olwethu@iyam.gov.za

**All suppliers are required to register on the Central Supplier Database (CSD), as well as submit a Declaration of Interest form (available from the Supply Chain Office). Information on the CSD is available on the CSD website [www.csd.gov.za](http://www.csd.gov.za).**

Should you have SCM-related inquiries please contact the **Supply Chain Management Unit**;

- Tandelwetu Petelo (048) 801 5159 or email [tpetelo@iym.gov.za](mailto:tpetelo@iym.gov.za)

**CLOSING DATE: 14 March 2025 AT 12H00**

## MBD 4

### DECLARATION OF INTEREST

1. No bid will be accepted from persons in the service of the state<sup>1</sup>.
2. Any person, having a kinship with persons in the service of the state, including a blood relationship, may make an offer or offers in terms of this invitation to bid. In view of possible allegations of favouritism, should the resulting bid, or part thereof, be awarded to persons connected with or related to persons in service of the state, it is required that the bidder or their authorised representative declare their position in relation to the evaluating/adjudicating authority.
- 3 **In order to give effect to the above, the following questionnaire must be completed and submitted with the bid.**

3.1 Full Name of bidder or his or her representative:.....

3.2 Identity Number: .....

3.3 Position occupied in the Company (director, trustee, shareholder<sup>2</sup>):.....

3.4 Company Registration Number: .....

3.5 Tax Reference Number:.....

3.6 VAT Registration Number: .....

3.7 The names of all directors / trustees / shareholders members, their individual identity numbers and state employee numbers must be indicated in paragraph 4 below.

3.8 Are you presently in the service of the state? YES / NO

3.8.1 If yes, furnish particulars. ....

.....

<sup>1</sup>MSCM Regulations: "in the service of the state" means to be –

(a) a member of –

- (i) any municipal council;
- (ii) any provincial legislature; or
- (iii) the national Assembly or the national Council of provinces;

(b) a member of the board of directors of any municipal entity;

(c) an official of any municipality or municipal entity;

(d) an employee of any national or provincial department, national or provincial public entity or constitutional institution within the meaning of the Public Finance Management Act, 1999 (Act No.1 of 1999);

(e) a member of the accounting authority of any national or provincial public entity; or

(f) an employee of Parliament or a provincial legislature.

<sup>2</sup> Shareholder" means a person who owns shares in the company and is actively involved in the management of the company or business and exercises control over the company.

3.9 Have you been in the service of the state for the past twelve months? .....YES / NO

3.9.1 If yes, furnish particulars.....

.....

3.10 Do you have any relationship (family, friend, other) with persons in the service of the state and who may be involved with the evaluation and or adjudication of this bid? ..... YES / NO

3.10.1 If yes, furnish particulars.

.....

.....

3.11 Are you, aware of any relationship (family, friend, other) between any other bidder and any persons in the service of the state who may be involved with the evaluation and or adjudication of this bid? YES / NO

3.11.1 If yes, furnish particulars

.....

.....

3.12 Are any of the company's directors, trustees, managers, principle shareholders or stakeholders in service of the state? YES / NO

3.12.1 If yes, furnish particulars.

.....

.....

3.13 Are any spouse, child or parent of the company's directors trustees, managers, principle shareholders or stakeholders in service of the state? YES / NO

3.13.1 If yes, furnish particulars.

.....

.....

3.14 Do you or any of the directors, trustees, managers, principle shareholders, or stakeholders of this company have any interest in any other related companies or business whether or not they are bidding for this contract. YES / NO

3.14.1 If yes, furnish particulars:

.....

.....

4. Full details of directors / trustees / members / shareholders.

| Full Name | Identity Number | State Employee Number |
|-----------|-----------------|-----------------------|
|           |                 |                       |
|           |                 |                       |
|           |                 |                       |
|           |                 |                       |
|           |                 |                       |
|           |                 |                       |
|           |                 |                       |
|           |                 |                       |
|           |                 |                       |

.....  
**Signature**

.....  
**Date**

.....  
**Capacity**

.....  
**Name of Bidder**

## CERTIFICATE OF INDEPENDENT BID DETERMINATION

- 1 This Municipal Bidding Document (MBD) must form part of all bids<sup>1</sup> invited.
  
- 2 Section 4 (1) (b) (iii) of the Competition Act No. 89 of 1998, as amended, prohibits an agreement between, or concerted practice by, firms, or a decision by an association of firms, if it is between parties in a horizontal relationship and if it involves collusive bidding (or bid rigging).<sup>2</sup> Collusive bidding is a *pe se* prohibition meaning that it cannot be justified under any grounds.
  
- 3 Municipal Supply Regulation 38 (1) prescribes that a supply chain management policy must provide measures for the combating of abuse of the supply chain management system, and must enable the accounting officer, among others, to:
  - a. take all reasonable steps to prevent such abuse;
  - b. reject the bid of any bidder if that bidder or any of its directors has abused the supply chain management system of the municipality or municipal entity or has committed any improper conduct in relation to such system; and
  - c. cancel a contract awarded to a person if the person committed any corrupt or fraudulent act during the bidding process or the execution of the contract.
  
- 4 This MBD serves as a certificate of declaration that would be used by institutions to ensure that, when bids are considered, reasonable steps are taken to prevent any form of bid-rigging.
  
- 5 In order to give effect to the above, the attached Certificate of Bid Determination (MBD 9) must be completed and submitted with the bid:

<sup>1</sup> Includes price quotations, advertised competitive bids, limited bids and proposals.

<sup>2</sup> Bid rigging (or collusive bidding) occurs when businesses, that would otherwise be expected to compete, secretly conspire to raise prices or lower the quality of goods and / or services for purchasers who wish to acquire goods and / or services through a bidding process. Bid rigging is, therefore, an agreement between competitors not to compete.

**CERTIFICATE OF INDEPENDENT BID DETERMINATION**

I, the undersigned, in submitting the accompanying bid:

---

(Bid Number and Description)

in response to the invitation for the bid made by:

---

(Name of Municipality / Municipal Entity)

do hereby make the following statements that I certify to be true and complete in every respect:

I certify, on behalf of: \_\_\_\_\_ that:

(Name of Bidder)

1. I have read and I understand the contents of this Certificate;
2. I understand that the accompanying bid will be disqualified if this Certificate is found not to be true and complete in every respect;
3. I am authorized by the bidder to sign this Certificate, and to submit the accompanying bid, on behalf of the bidder;
4. Each person whose signature appears on the accompanying bid has been authorized by the bidder to determine the terms of, and to sign, the bid, on behalf of the bidder;
5. For the purposes of this Certificate and the accompanying bid, I understand that the word "competitor" shall include any individual or organization, other than the bidder, whether or not affiliated with the bidder, who:
  - (a) has been requested to submit a bid in response to this bid invitation;
  - (b) could potentially submit a bid in response to this bid invitation, based on their qualifications, abilities or experience; and
  - (c) provides the same goods and services as the bidder and/or is in the same line of business as the bidder

6. The bidder has arrived at the accompanying bid independently from, and without consultation, communication, agreement or arrangement with any competitor. However communication between partners in a joint venture or consortium<sup>3</sup> will not be construed as collusive bidding.
7. In particular, without limiting the generality of paragraphs 6 above, there has been no consultation, communication, agreement or arrangement with any competitor regarding:
  - (a) prices;
  - (b) geographical area where product or service will be rendered (market allocation)
  - (c) methods, factors or formulas used to calculate prices;
  - (d) the intention or decision to submit or not to submit, a bid;
  - (e) the submission of a bid which does not meet the specifications and conditions of the bid; or
  - (f) bidding with the intention not to win the bid.
8. In addition, there have been no consultations, communications, agreements or arrangements with any competitor regarding the quality, quantity, specifications and conditions or delivery particulars of the products or services to which this bid invitation relates.
9. The terms of the accompanying bid have not been, and will not be, disclosed by the bidder, directly or indirectly, to any competitor, prior to the date and time of the official bid opening or of the awarding of the contract.

<sup>3</sup> Joint venture or Consortium means an association of persons for the purpose of combining their expertise, property, capital, efforts, skill and knowledge in an activity for the execution of a contract.

10. I am aware that, in addition and without prejudice to any other remedy provided to combat any restrictive practices related to bids and contracts, bids that are suspicious will be reported to the Competition Commission for investigation and possible imposition of administrative penalties in terms of section 59 of the Competition Act No 89 of 1998 and or may be reported to the National Prosecuting Authority (NPA) for criminal investigation and or may be restricted from conducting business with the public sector for a period not exceeding ten (10) years in terms of the Prevention and Combating of Corrupt Activities Act No 12 of 2004 or any other applicable legislation.

.....  
**Signature**

.....  
**Date**

.....  
**Position**

.....  
**Name of Bidder**

Js9141w 4