



FOUNDATIONS:

- 2.1 EXCAVATIONS FOR FOUNDATIONS TO BE APPROVED BY THE ENGINEER BEFORE CONCRETE IS CAST.
- 2.2 ALL FOUNDATIONS TO BE FOUND ON THE WEATHERED SHALE BED ROCK OR APPROVED ENGINEERED LAYERS.
- 2.3 CONCRETE FOR FOUNDATION PURPOSES TO BE CAST BEFORE THE DRYING OF THE EXPOSED TRENCH SURFACES.
- 2.4 THE FOOTING DEPTH TO BE 300mm UNLESS STATED OTHERWISE

CONCRETE:

- 3.1 ALL CONCRETE CONSTRUCTION TO BE IN ACCORDANCE THE NATIONAL BUILDING REGULATIONS, SANS 10100, 1200BG, GE & GF AND THE PROJECT SPECIFICATIONS.
- 3.2 MINIMUM COMPRESSION STRENGTHS (MPa) :-

BRICKWORK:
5.1 ALL LOAD BEARING BRICK WALLS ARE TO BE CONSTRUCTED OF BRICKS HAVING A MINIMUM CRUSHING STRENGTH OF 14 Mpa. MORTAR IS TO BE CLASS 2 MORTAR (1:4 CEMENT:SAND BUT NOT LESS THAN 10Mpa) IN ACCORDANCE WITH THE NATIONAL BUILDING REGULATIONS AND SANS 10164 UNLESS OTHERWISE NOTED.

© COPYRIGHT RESERVED

The contents of this document is both privileged and confidential and may not be disclosed or reproduced without the express authorisation of the author, being "Kairos engineers & infrastructure developers (PTY) LTD"

KEY PLAN

CURRENT DRAWING ISSUED TO:

CLIENT


CLIENT



02	29-05-2026	J/N	ISSUED FOR TENDER	T.N	W.K
01	15-04-2026	J/N	ISSUED FOR DETAILED DESIGN REVIEW	T.N	W.K
00	13-12-2025	J/N	ISSUED FOR PRELIMINARY DESIGN REVIEW	T.N	W.K
REV	DATE	BY	DESCRIPTION	CHK	APP

DRAWING STATUS

DETAILED DESIGN



Tel: 010 824 00060

CLIENT:

HOERSKOOL ADAMANTIA HIGH SCHOOL

ENGINEER

N.Kangara Pr Eng 20190677

PROJECT

**PROJECT: Rehabilitation and Construction
of Additional Block Classrooms at
Hoerskool Adamantia High School, in
Kimberly Northern Cape**

TITLE:

ABLUTION BLOCK GROUND FLOOR LAYOUT AND DETAILS

STAND/ERF No.: ERF ..

SCALE @ A1:

CALL @ AT.

:50/ 1:20/ 1:10

DRAWN:

LN

PROJECT 1

PROJECT NO.

K250022

DRAWING No.

K25

©KAIROS CONSULTING ENGINEERS



FOR TENDER